

Denver, CO, 80204, US

# **Kaycha Labs**

25mg CBD Gummies Matrix: Infused



Sample: DE21118006-003 Harvest/Lot ID: 511152

Batch#: 511152

Seed to Sale# 1A4000B00010D25000002297

Batch Date: 11/15/22

Sample Size Received: 10 gram

Total Amount: N/A

Retail Product Size: 54 gram

Ordered: 11/15/22

Sampled: 11/15/22 **Completed:** 11/22/22 Sampling Method: N/A

Pages 1 of 1

## Nov 22, 2022 | Resinosa LLC

License # 405R-00011

614 Cliff Street

Silver Cliff, CO, 81252, US











**Certificate of Analysis** 







Residuals Solvents







Terpenes NOT TESTED

**PASSED** 

### Cannabinoid






**Total CBD** 1.0319%



**Total Cannabinoids** 1.1855%



Analysis Method : SOP-020 (R15) Analytical Batch : DE004428POT Instrument Used : Agilent 1100 "Falcor" Running on: 11/21/22 19:17:46

Reviewed On: 11/22/22 15:40:48 Batch Date: 11/20/22 14:06:14

Dilution : 40
Reagent : 092122.R21; 110922.R06; 112122.R10; 112122.R05
Consumables : 00322643; 426852; 1335696; 0032250; 0000164728; 309011271; 12571-240CD-240; 22220444; 5079-525C6-525E

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP-022 (R13) for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control CQ parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request.The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310

#### **Dane Oberhill**

Lab Director

State License # 405R-00011 405-00008 ISO 17025 Accreditation # 4331.01



11/22/22

Signed On